

Material: 60028266 ELASTOSIL® R 401/40

S

Version: 1.1 (REG_EUROPE) Date of print: 27.08.2010 Date of last alteration: 04.12.2009

1 Identification of the substance/preparation and company

1.1 Name of substance/preparation

Commercial product name: ELASTOSIL® R 401/40

S

1.2 Use of substance / preparation Industrial.

Raw material for: elastomer products .

1.3 Company name

Manufacturer/distributor: Wacker Chemie AG
Street/POB-No.: Hanns-Seidel-Platz 4
State/postal code/city: D 81737 München
Telephone: +49 89 6279-0
Telefax: +49 89 6279-1770

1.4 Emergency telephone number

Emergency Information (German): plant fire brigade +49/(0) 8677/83-2222 Emergency Information (internat.): National Response Center +49/(0) 621/60-43333

2 Hazards identification

2.1 Classification

| R-Phrase | Description |
|----------|-------------|
| R- | _ |

This product is not a dangerous preparation within the meaning of Directive 1999/45/EC.

3 Composition/information on ingredients

3.1 Chemical characterization (preparation)

| Chemical characteristics |
|--|
| Polydimethylsiloxane with vinyl groups and auxiliary |

4 First-aid measures

4.1 General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

4.2 After inhalation

Material cannot be inhaled under normal conditions.

4.3 After contact with the skin

Wipe off excess material with cloth or paper. Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

4.4 After contact with the eyes

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

4.5 After swallowing

Give several small portions of water to drink. Do not induce vomiting.

5 Fire-fighting measures



Material: 60028266 ELASTOSIL® R 401/40

S

Version: 1.1 (REG_EUROPE) Date of print: 27.08.2010 Date of last alteration: 04.12.2009

5.1 Suitable extinguishing media

water spray , extinguishing powder , alcohol-resistant foam , carbon dioxide , sand .

5.2 Extinguishing media which must not be used for safety reasons

water jet .

5.3 Special exposure hazards arising from the substance or preparation itself, combustion products,

resulting gases

5.4 Special protective equipment for fire fighting

Use respiratory protection independent of recirculated air.

Accidental release measures

6.1 Personal precautions

No special measures required.

.2 Environmental precautions

Prevent material from entering sewers or surface waters.

6.3 Methods for cleaning up

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

7 Handling and storage

7.1 Handling

Precautions for safe handling:

No special protective measures required.

Precautions against fire and explosion:

No special precautions against fire and explosion required.

7.2 Storage

Conditions for storage rooms and vessels:

none known

Advice for storage of incompatible materials:

not applicable

Further information for storage:

Keep container tightly closed. Store in a dry and cool place.

8 Exposure controls and personal protection equipment

8.1 Exposure limits

Maximum airborne concentrations at the workplace:

not applicable

-

8.2 Exposure limited and controlled

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat or drink when handling.

Personal protection equipment

Respiratory protection

not required .



Material: 60028266 ELASTOSIL® R 401/40

S

Version: 1.1 (REG_EUROPE) Date of print: 27.08.2010 Date of last alteration: 04.12.2009

Hand protection

Recommendation: Protective gloves made of butyl rubber . Gloves suitable for up to 60 minutes'

use.

Eye protection

Recommendation: protective goggles .

Skin protection

not required

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering surface waters and soil.

9 Physical and chemical properties

9.1 General information

Physical state / form....: paste
Colour...: transparent
Odour...: slight

9.2 Important information about the protection of health, safety and the environment Method:

Melting point / melting range.....: not applicable Boiling point / boiling range....: not applicable

Flash point.....: > 200 °C (DIN 51376)
Ignition temperature: > 400 °C (DIN 51794)

Lower explosion limit (LEL).....: not applicable Upper explosion limit (UEL)....: not applicable Vapour pressure....: not applicable

Density...... approx. 1,12 g/cm³ at 20 °C (ISO 1183-1 A)

Water solubility / miscibility.....: virtually insoluble pH-Value.....: not applicable Viscosity (dynamic)....: > 9000000 mPa.s

9.3 Other information

Thermal decomposition....: > 250 °C

10 Stability and reactivity

10.0 General information:

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

10.1 Conditions to avoid

none known

10.2 Materials to avoid

none known

10.3 Hazardous decomposition products

If stored and handled in accordance with standard industrial practices and local regulations where applicable: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

11 Toxicological information

11.0 General information:

According to our present state of knowledge no damaging effect expected when treated in accordance with standard industrial practices and local regulations where applicable.

11.1 Toxicological tests

Further information:

_



Material: 60028266 ELASTOSIL® R 401/40

S

Version: 1.1 (REG_EUROPE) Date of print: 27.08.2010 Date of last alteration: 04.12.2009

11.2 Experience with man

_

11.3 Further toxicological information

-

12 Ecological information

12.1 Ecotoxicity

Evaluation on basis of physical-chemical properties: No expected damaging effects to aquatic organisms.

Effects in sewage treatment plants (bacteria toxicity: respiration-/reproduction inhibition):

According to current knowledge adverse effects on water purification plants are not expected.

12.2 Mobility

Insoluble in water.

12.3 Persistence and degradability

Biodegradation / further information:

Biologically not degradable.

Further information:

Separation by sedimentation.

12.4 Bio-accumulation potential

Bioaccumulation is not expected to occur.

12.5 Other harmful effects

none known

12.6 Additional information

General information:

No environmental problems expected if handled and treated in accordance with standard industrial practices and local regulations where applicable.

13 Disposal considerations

13.1 Material

Recommendation:

Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.

13.2 Uncleaned packaging

Recommendation:

Containers should be completely emptied before recycling as specified in government regulations. Empty containers should be sent to an approved recycling facility.

14 Transport information

14.1 Land transport ADR and RID

Road ADR:

Valuation....: Not regulated for transport

Railway RID:

Valuation....: Not regulated for transport

14.2 Transport by sea IMDG-Code

Valuation..... Not regulated for transport



Material: 60028266 ELASTOSIL® R 401/40

S

Version: 1.1 (REG_EUROPE) Date of print: 27.08.2010 Date of last alteration: 04.12.2009

14.3 Air transport ICAO-TI/IATA-DGR

Valuation....: Not regulated for transport

14.4 Transport/further information

Informing dept. ref. to heading 14. Transport information:

Department Hazardous Materials Service, Telefax: +49/(0) 8677/83-5589, Telephone: +49/(0)

8677/83-4950

15 Regulatory information

15.1 Warning Label (EC)

| R-Phrase | Description |
|----------|-------------|
| R- | - |
| S-Phrase | Description |
| C_ | L |

15.2 National regulations

National and local regulations must be observed.

15.3 Other international regulations

Details of international registration status

Listed on or in accordance with the following inventories:

ECL - Korea
AICS - Australia
DSL - Canada
ENCS - Japan
PICCS - Philippines

TSCA - USA EINECS - Europe IECSC - China

16 Other information

16.1 Material

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

- End of Safety Data Sheet -